

# HIGH STABILITY FREQUENCY STANDARDS BASED ON $^{199}\text{Hg}^+$ IONS IN A LINEAR ION TRAP\*

R. L. Tjoelker, J.D. Prestage, and L. Maleki  
 California Institute of Technology, Jet Propulsion Laboratory  
 4800 Oak Grove Drive, Bldg 298  
 Pasadena, (California 91109)

Microwave-Optical double resonance spectroscopy measurements of the ground state  $^2S_{1/2}(F=0, m_F=0)$  to  $^2S_{1/2}(F=1, m_F=0)$  hyperfine transition of  $^{199}\text{Hg}$  ions [1] are used to control a local oscillator providing the most stable atomic frequency standard for averaging times longer than 20,000 seconds. Mercury ions are confined in a Linear Ion Trap (LIT) [2] and collisions with a helium buffer gas cool the ions to near room temperature [3]. Atomic state selection is accomplished by optical pumping using 194 nm light from a  $^{202}\text{Hg}$  lamp and the 40.507347997x GHz atomic transition is interrogated using Ramsey successive oscillatory fields [4]. With interrogation times of 16 seconds a stability of  $7 \times 10^{-14}/T^{1/2}$  is achieved (Fig.1) [5].




Figure 1: (a) Linear Ion Trap. (b) Ten day stability comparison of LITS-2 and the H-maser SAO-26. The dashed line represents a performance of  $7 \times 10^{-14}/\tau^{1/2}$ . Also shown for reference is the stability comparison of two H-masers, SAO-26 and DSN-2 over the same time interval.

Because of the large atomic mass and ground state hyperfine splitting, mercury ions are less susceptible to magnetic and thermal effects than hydrogen or cesium. For good S/N, approximately 107 ions are confined in the trap. Remaining sensitivity to second order Doppler shifts due to thermal and driven motion from the rf trapping field is the tradeoff for the inherent simplicity in a lamp based, high S/N (i.e. large ion cloud), room temperature system. With the addition of a 194 nm laser, laser cooling and interrogation on only a few ions would reduce sensitivity to second order Doppler shifts [6].

Stability comparisons are currently underway between two JPL lamp based  $^{199}\text{Hg}^+$  trapped ion research standards [LITS-1 and LITS-2]. In the present configuration, each standard steers a separate VIG-11 hydrogen maser receiver [7] phase locked to a common hydrogen maser oscillator. In a preliminary 10 day measurement, the short term performance of both standards is  $\sigma_y(\tau) = 1 \times 10^{-13}/T^{1/2}$ . Figure 2 shows the fractional frequency of the JPL standard LITS-2 compared against our first research standard LITS-1.

The deviation from the  $1 \times 10^{-13}/\tau^{1/2}$  slope between 30,000 and 60,000 is due to limited stability of the control electronics in ITS-1. The long term differential drift between the two  $\text{Hg}^+$  standards is measured to be less than  $5 \times 10^{-16}/\text{day}$ . Also shown is a 30 day stability comparison of ITS-2 against the  $\text{H}^+$ -maser SAO-26 [7]. Beyond 20,000 seconds the measurement is limited by the  $4 \times 10^{-15}/\text{day}$  drift of the hydrogen maser.

The ITS-2 comparison is expected to reach  $10^{-16}$  in  $5 \times 10^5$  seconds when electronic upgrading is completed. In the present ion trap standards, the stability floor is most sensitive to ion number and temperature fluctuations through the second order Doppler shift [5]. A new extended linear ion trap Configuration (ILE) which separates the ion loading and State select ion region from the microwave at omic interrogation region is currently under development [8]. This configuration should eliminate most of the remaining sensitivity to ion number fluctuations




Figure 2: The fractional frequency stability of the  $\text{Hg}^+$  ion trap standard ITS-2 compared against ITS-1, and hydrogen maser SAO-26 [6].

\*This work was performed at the Jet Propulsion Laboratory, California Institute of Technology, under contract to the National Aeronautics and Space Administration.

[1] F.G. Major and G. Werth, *Appl. Phys.* **15**, 201-205 (1981).  
 [2] J.D. Prestage, G.J. Dick, and L. Maleki, *J. Appl. Phys.*, **66**, 1013, (1989).  
 [3] L. S. Cutler, R. P. Giffard, and M.D. McGuire, *Appl. Phys.* **B 36**, 137, (1985).  
 [4] N.F. Ramsey, *Molecular Beams* (Oxford University Press, Oxford, 1956).  
 [5] R.L. Tjoelker, J.D. Prestage, G.J. Dick, L. Maleki, in *Proc. 47th Ann. Symp. Freq. Cont.* (1993), p 132.  
 [6] M.E. Poitzsch, J.C. Bergquist, W.M. Itano, and J. Wineland, in *Proc. 48th Ann. Symp. Freq. Cont.* (1994).  
 [7] Smithsonian Astrophysical observatory; Cambridge, MA 02138.  
 [8] J.D. Prestage, R.L. Tjoelker, G.J. Dick, L. Maleki, in *Proc. 47th Ann. Symp. Freq. Cont.*, (1993) p. 144.