Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
      - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

*JavaDocTalk.java

```
 * <body onload="doSomething()"><center>
 * <h1><font size="30"><span id='num'>0</span> Things You Never Knew You Could do with JavaDoc</font></h1>
 * <h2><font size="5">Jet Propulsion Laboratory - California Institute of Technology</font></h2>
 * </center>
 * <center>
 * <img src="/Users/mwallick/Documents/javadocTalk/org.eclipse.eclipsecon.lightening.javadoc.10things/Images/NASA_logo.jpg"
 *  width="150">
 * <font size="4"></center>
 * @author Michael Wallick <br>
 * <a href="mailto:Michael.N.Wallick@jpl.nasa.gov">Michael.N.Wallick@jpl.nasa.gov</a>
 * <br><br>
 * <p>© Copyright California Institute of Technology - 2009</p>
 */
public void A_Introduction(){}
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.A_Introduction()

6 Things You Never Knew You Could do with JavaDoc

Jet Propulsion Laboratory – California Institute of Technology

Author:

Michael Wallick
Michael.N.Wallick@jpl.nasa.gov

© Copyright California Institute of Technology – 2009
Government sponsorship acknowledged

Writable | Smart Insert | 26 : 16

Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
      - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
/**
 * <script type="text/javascript">
 * function changeText(){
 *  document.getElementById('textArea').innerHTML = 'You have clicked the button <br> <img src="http://www.eclipsecon.org/2009/static/image/eclipsecon09_logo.jpg">';
 * }
 * </script>
 * <font size="5">JavaScript can be added to explain what a method does<br><br>
 * <input type='button' onclick='changeText()' value='Change Text'/>
 * <div id='textArea'>You Haven't clicked the button</div></font>
 */
public void J_JavaScript(){}

/**
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.B_simpleFormatting()

This is stuff you possibly knew:

Use tags like `@code` and @link to other methods `Link` to help explain your code and give references to other methods

You can get the whole list by typing @ into your javadoc!

org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.B_simpleFormatting() : void – org.eclipse.eclipsecon.lightening.javadoc.10things/src

Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
      - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
/**
 * <script type="text/javascript">
 * function changeText(){
 *  document.getElementById('textArea').innerHTML = 'You have clicked the button <br> <img src="http://www.eclipsecon.org/2009/static/image/eclipsecon09_logo.jpg">';
 * }
 * </script>
 * <font size="5">JavaScript can be added to explain what a method does<br><br>
 * <input type='button' onclick='changeText()' value='Change Text'/>
 * <div id='textArea'>You Haven't clicked the button</div></font>
 */
public void J_JavaScript(){}

/**
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.C_FancyFormatting()

Use standard HTML formating to show off points

Including:

- Bullet points (li)
- divs and spans
- Changing fonts
- and many more...

org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.C_FancyFormatting() : void – org.eclipse.eclipsecon.lightening.javadoc.10things/src

Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
    - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
/**
 * <script type="text/javascript">
 * function changeText(){
 *  document.getElementById('textArea').innerHTML = 'You have clicked the button <br> <img src="http://www.eclipsecon.org/2009/static/image/eclipsecon09_logo.jpg">';
 * }
 * </script>
 * <font size="5">JavaScript can be added to explain what a method does<br><br>
 * <input type='button' onclick='changeText()' value='Change Text'/>
 * <div id='textArea'>You Haven't clicked the button</div></font>
 */
public void J_JavaScript(){}

/**
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.D_EmbedImages()

Use the "img" tag to embed images:



Important: You need to provide a fully qualified url or file path.

org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.D_EmbedImages() : void – org.eclipse.eclipsecon.lightening.javadoc.10things/src

Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
      - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
    */
    public void D_EmbedImages() { }

    /**
     * <font size="5"> Links can be included for <a href="mailto:Michael.N.Wallick@jpl.nasa.gov">email</a>
     */
    public void E_EMail(){}


    /**
     * <font size="5"> Links can be included to <a href="">other webpages,</a> such as bug reports.
     */

    public void F_Links() {}
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.E_EMail()

Links can be included for email

org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.E_EMail() : void – org.eclipse.eclipsecon.lightening.javadoc.10things/src

Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Save (⌘S)

Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
    - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
 */
public void D_EmbedImages() { }

/**
 * <font size="5"> Links can be included for <a href="mailto:Michael.N.Wallick@jpl.nasa.gov">email</a>
 */
public void E_EMail(){}


/**
 * <font size="5"> Links can be included to <a href="">other webpages,</a> such as bug reports.
 */

public void F_Links() {}
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.F_Links()

Links can be included to other webpages, such as bug reports.

Writable | Smart Insert | 81 : 24

Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
      - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
public void F_Links() {}


/**
 * <font size="5">Embed a webpage directly into your javadoc
 * <iframe src="http://www.eclipsecon.org/2009" width="100%" height="100%">
 */
public void G_EmbedPage(){}

/**
 * <font size="5">Embed a wikipage
 * <iframe src="http://en.wikipedia.org/wiki/Eclipse_(software)" width="100%" height="100%">
 */
public void H_Wiki(){}
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.G_EmbedPage()

Embed a webpage directly into your javadoc

eclipseCON™ 2009

March 23rd - 26th
Santa Clara, California

Home | About

Home
Register
Hotels

Exhibits
Extracurricular EclipseCon

Monday Tutorials
Tuesday
Wednesday
Thursday
Short Talks
Evening BOFs

Sponsors
Presenters
Other Conferences

Register Now!

See the whole week of **fantastic sessions** and then **register today**.
And don't forget to **book a hotel room**.

Register

Everything About Eclipse Under One Roof

Darwin Among the IDEs

Tim Wagner, Principal Development Manager, Microsoft Visual Studio Platform

Kevin McGuire Eclipse UI Architect, Design & Usability Lead, IBM

MAIN STAGE

- Runtime (r)evolution at Eclipse
- Android and the Eclipse Ecosystem
- e4 Project in Review
- Eclipse for All: Doing Accessibility Right in the Framework
- Make Money Fast! Market Your Killer App with the Eclipse Mobile Industry Working Group
- Experiences Visualizing Android Performance in Eclipse TPTP
- Building Communities: The Rise and Fall and Rise of the

Gold sponsors

BLU AGE — AGILE MODEL TRANSFORMATION
SOPERA
BIRT Exchange by ACTUATE
WIND RIVER
JBoss a division of Red Hat
Sun microsystems
IBM

Silver sponsors

itemis — Software | Consulting | Coaching
innovations

Writable | Smart Insert | 88 : 28

Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
      - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
public void F_Links() {}


/**
 * <font size="5">Embed a webpage directly into your javadoc
 * <iframe src="http://www.eclipsecon.org/2009" width="100%" height="100%">
 */
public void G_EmbedPage(){}

/**
 * <font size="5">Embed a wikipage
 * <iframe src="http://en.wikipedia.org/wiki/Eclipse_(software)" width="100%" height="100%">
 */
public void H_Wiki(){}
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.H_Wiki()

Embed a wikipage

Log in / create account

article | discussion | edit this page | history

WIKIPEDIA
The Free Encyclopedia

navigation
- Main page
- Contents
- Featured content
- Current events
- Random article

search
Go Search

interaction
- About Wikipedia
- Community portal
- Recent changes
- Contact Wikipedia
- Donate to Wikipedia
- Help

toolbox
- What links here
- Related changes
- Upload file
- Special pages
- Printable version
- Permanent link
- Cite this page

languages
- العربية

Eclipse (software)

From Wikipedia, the free encyclopedia

Eclipse is a multi-language software development platform comprising an IDE and a plug-in system to extend it. It is written primarily in Java and is used to develop applications in this language and, by means of the various plug-ins, in other languages as well—C/C++, Cobol, Python, Perl, PHP and more.

The initial codebase originated from VisualAge.[1] In its default form it is meant for Java developers, consisting of the Java Development Tools (JDT). Users can extend its capabilities by installing plug-ins written for the Eclipse software framework, such as development toolkits for other programming languages, and can write and contribute their own plug-in modules. Language packs provide translations into over a dozen natural languages.[2]

Released under the terms of the Eclipse Public License, Eclipse is free and open source software.

Eclipse

Screenshot [show]

Developed by	Free software community
Latest release	3.4.2 / 2009-02-11; 34 days ago
Preview release	3.5 M5 / 2009-02-02; 43 days ago
Written in	Java
OS	Cross-platform
Available in	Multilingual
Development status	Active
Type	Software development
License	Eclipse Public License
Website	http://www.eclipse.org/

Contents [hide]

1 Architecture
2 Rich Client Platform
3 History
4 Releases
5 See also
6 References
7 Further reading
8 External links

Architecture [edit]

Eclipse employs plug-ins in order to provide all of its functionality on top of (and including) the runtime system, in contrast to some other applications where functionality is typically hard coded. The runtime system of Eclipse is based on Equinox, an OSGi standard compliant implementation.

This plug-in mechanism is a lightweight software componentry framework. In addition to allowing Eclipse to be extended using other programming languages such as C and Python, the plug-in framework allows Eclipse to work with typesetting languages like LaTeX,[3] networking applications such as telnet, and database management systems. The plug-in architecture supports writing any desired extension to the environment, such as for configuration management. Java and CVS support is provided in the Eclipse SDK.

The key to the seamless integration (but *not* of seamless interoperability) of tools with Eclipse is the plug-in. With the exception of a small run-time kernel, everything in Eclipse is a plugin. This means that every plugin developed integrates with Eclipse in exactly the same way as other plugins; in this respect, all features are created equal. Eclipse provides plugins for a wide variety of features, some of which are through third parties using both free and commercial models. Examples of plugins include UML plug-in for Sequence and other UML diagrams, plug-in for Database explorer, and many others.

The Eclipse SDK includes the Eclipse Java Development Tools, offering an IDE with a built-in incremental Java compiler and a full model of the Java source files. This allows for advanced refactoring techniques and code analysis. The IDE

Writable | Smart Insert | 94 : 23

Java - org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java - Eclipse Platform - /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
      - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
public void H_Wiki(){}

/**
 * <font size="5">Or a search (for bugs)
 * <iframe src="https://bugs.eclipse.org/bugs/buglist.cgi?content=GEF&x=0&y=0&query_format=specific&order=relevance+desc&bug_status=__open__"
 *   width="100%" height="100%">
 */
public void I_BugzillaSearch(){}

/**
 * <script type="text/javascript">
 * function changeText(){
 *  document.getElementById('textArea').innerHTML = 'You have clicked the button <br> <img src="http://www.eclipsecon.org/2009/static/image/eclipsecon09_logo.jpg">';
 * }
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.I_BugzillaSearch()

Or a search (for bugs)

eclipse BUGS

CONTACT | LEGAL

Bugzilla – Bug List

Home | New | Search | Find | Reports | Requests | New Account | Log In | Terms of Use

Bugs on this list are sorted by relevance, with the most relevant bugs at the top. Only the 200 most relevant bugs are shown.

Tue Mar 17 2009 20:48:12 -0400

200 bugs found.

ID	Sev	Pri	OS	Assignee	Status	Resolution	Summary
137786	maj	P3	Wind	steve_northover@ca.ibm.com	REOP		new 'default' drag & drop feedback interferes with other feedback
204605	enh	P3	All	gef-inbox@eclipse.org	NEW		GEF should adopt Java 1.5
263992	nor	P3	Wind	nickboldt+bugzilla@gmail.com	NEW		Galileo build broken by GEF
187158	maj	P3	Wind	gef-inbox@eclipse.org	NEW		[WorkbenchParts] Restarting with Open Editor Horribly Broken in M7
133099	enh	P1	Wind	paules@ca.ibm.com	ASSI		Providing the ability to record user's interactions with GEF objects in a GEF editor
195527	enh	P3	Wind	gef-inbox@eclipse.org	ASSI		Connections outside containers
175838	enh	P3	All	gef-inbox@eclipse.org	NEW		Plugin to export images from GEF diagrams
253114	nor	P3	Linu	nickboldt+bugzilla@gmail.com	NEW		gef tests won't run on modeling.eclipse.org
68724	enh	P3	Wind	gef-inbox@eclipse.org	NEW		Investigate OpenGL support for Draw2D
247788	enh	P3	Wind	irbull@eclipsesource.com	NEW		Make ZoomManager accessible outside of the Zest Hierarchy
137409	nor	P3	Wind	anthonyh@ca.ibm.com	NEW		Performance: 3.2 improve performance for MultiValueMap and DeferredUpdateManager
240528	nor	P3	Wind	gef-inbox@eclipse.org	NEW		Once downloaded, javadoc and source code still not attached
260576	nor	P3	Wind	nickboldt+bugzilla@gmail.com	REOP		org.eclipse.eclipse.releng.basebuilder still using RC2_34
265704	nor	P3	Linu	nickboldt+bugzilla@gmail.com	NEW		Could the emf-xsd-Update-(2.5.0 I builds).zip be a repo as well
125991	enh	P3	Wind	gef-inbox@eclipse.org	NEW		Should converge GEF command (org.eclipse.gef.commands) to undoable operations framework(org.eclipse.core.commands.operations)
101589	enh	P3	Wind	gef-inbox@eclipse.org	ASSI		Define APIs for GEF plug-ins
216497	nor	P3	Linu	anthonyh@ca.ibm.com	NEW		GEF Project Summary is missing data / needs updating
63724	enh	P3	All	grant_gayed@ca.ibm.com	REOP		Outlook bar (palette)
257693	nor	P3	Mac	anthonyh@ca.ibm.com	NEW		[Carbon] Eclipse shut down when editing a label in a GMF graphical editor

Writable | Smart Insert | 101 : 33

Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
      - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
public void H_Wiki(){}

/**
 * <font size="5">Or a search (for bugs)
 * <iframe src="https://bugs.eclipse.org/bugs/buglist.cgi?content=GEF&x=0&y=0&query_format=specific&order=relevance+desc&bug_status=__open__"
 *   width="100%" height="100%">
 */
public void I_BugzillaSearch(){}

/**
 * <script type="text/javascript">
 * function changeText(){
 *  document.getElementById('textArea').innerHTML = 'You have clicked the button <br> <img src="http://www.eclipsecon.org/2009/static/image/eclipsecon09_logo.jpg">';
 * }
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.I_BugzillaSearch()

Or a search (for bugs)

eclipse BUGS

CONTACT | LEGAL

Bugzilla – Bug List

Home | New | Search | Find | Reports | Requests | New Account | Log In | Terms of Use

Bugs on this list are sorted by relevance, with the most relevant bugs at the top. Only the 200 most relevant bugs are shown.

Tue Mar 17 2009 20:48:12 -0400

200 bugs found.

ID	Sev	Pri	OS	Assignee	Status	Resolution	Summary
137786	maj	P3	Wind	steve_northover@ca.ibm.com	REOP		new 'default' drag & drop feedback interferes with other feedback
204605	enh	P3	All	gef-inbox@eclipse.org	NEW		GEF should adopt Java 1.5
263992	nor	P3	Wind	nickboldt+bugzilla@gmail.com	NEW		Galileo build broken by GEF
187158	maj	P3	Wind	gef-inbox@eclipse.org	NEW		[WorkbenchParts] Restarting with Open Editor Horribly Broken in M7
133099	enh	P1	Wind	paules@ca.ibm.com	ASSI		Providing the ability to record user's interactions with GEF objects in a GEF editor
195527	enh	P3	Wind	gef-inbox@eclipse.org	ASSI		Connections outside containers
175838	enh	P3	All	gef-inbox@eclipse.org	NEW		Plugin to export images from GEF diagrams
253114	nor	P3	Linu	nickboldt+bugzilla@gmail.com	NEW		gef tests won't run on modeling.eclipse.org
68724	enh	P3	Wind	gef-inbox@eclipse.org	NEW		Investigate OpenGL support for Draw2D
247788	enh	P3	Wind	irbull@eclipsesource.com	NEW		Make ZoomManager accessible outside of the Zest Hierarchy
137409	nor	P3	Wind	anthonyh@ca.ibm.com	NEW		Performance: 3.2 improve performance for MultiValueMap and DeferredUpdateManager
240528	nor	P3	Wind	gef-inbox@eclipse.org	NEW		Once downloaded, javadoc and source code still not attached
260576	nor	P3	Wind	nickboldt+bugzilla@gmail.com	REOP		org.eclipse.eclipse.releng.basebuilder still using RC2_34
265704	nor	P3	Linu	nickboldt+bugzilla@gmail.com	NEW		Could the emf-xsd-Update-(2.5.0 I builds).zip be a repo as well
125991	enh	P3	Wind	gef-inbox@eclipse.org	NEW		Should converge GEF command (org.eclipse.gef.commands) to undoable operations framework(org.eclipse.core.commands.operations)
101589	enh	P3	Wind	gef-inbox@eclipse.org	ASSI		Define APIs for GEF plug-ins
216497	nor	P3	Linu	anthonyh@ca.ibm.com	NEW		GEF Project Summary is missing data / needs updating
63724	enh	P3	All	grant_gayed@ca.ibm.com	REOP		Outlook bar (palette)
257693	nor	P3	Mac	anthonyh@ca.ibm.com	NEW		[Carbon] Eclipse shut down when editing a label in a GMF graphical editor

Writable | Smart Insert | 101 : 33

Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
      - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
public void J_JavaScript(){}

/**
 * <font size="5">Embed a Flash video into your JavaDoc<br><br>
 * <embed src="http://www.youtube.com/v/oHg5SJYRHA0&hl=en&fs=1&autoplay=1"
 * type="application/x-shockwave-flash" allowscriptaccess="always"
 * allowfullscreen="true" width="100%" height="100%"></embed>
 */
public void K_FlashVideo() {}

/**
 * <br><br><br><br><br><br><br><br>
 * <font size="20"><center>Thank you for your time... <br>Enjoy the rest of EclipseCon!</center></font>
 * <center><img src="http://www.eclipsecon.org/2009/static/image/eclipsecon09_logo.jpg"></center>
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.K_FlashVideo()

Embed a Flash video into your JavaDoc

Writable | Smart Insert | 121 : 29

Java – org.eclipse.eclipsecon.lightening.javadoc.10things/src/org/eclipse/eclipsecon/lightening/javadoc/Tenthings/JavaDocTalk.java – Eclipse Platform – /Users/mwallick/Documents/javadocTalk

Package Explorer | Hierarchy

- org.eclipse.eclipsecon.lightening.javadoc
  - JRE System Library [J2SE-1.5]
  - Plug-in Dependencies
  - src
    - org.eclipse.eclipsecon.lightening
      - Activator.java
      - JavaDocTalk.java
        - JavaDocTalk
          - A_Introduction()
          - B_simpleFormattin
          - C_FancyFormattin
          - D_EmbedImages()
          - E_EMail()
          - F_Links()
          - G_EmbedPage()
          - H_Wiki()
          - I_BugzillaSearch()
          - J_JavaScript()
          - K_FlashVideo()
          - L_Thankyou()
      - NASA_logo.gif
  - Images
  - META-INF
  - build.properties

JavaDocTalk.java

```
    /**
     * <br><br><br><br><br><br><br><br>
     * <font size="20"><center>Thank you for your time... <br>Enjoy the rest of EclipseCon!</center></font>
     * <center><img src="http://www.eclipsecon.org/2009/static/image/eclipsecon09_logo.jpg"></center>
     *
     * <font size="5">
     * <p>I'm Twittering: {@link @jplmichael}</p>
     * <embed src="http://static.twitter.com/flash/widgets/profile/TwitterWidget.swf" quality="high" bgcolor="#000000" width="100%" height="40%" name="TwitterWidget" align="m
</object>    */
    public void L_Thankyou(){}

}
```

Javadoc

void org.eclipse.eclipsecon.lightening.javadoc.Tenthings.JavaDocTalk.L_Thankyou()

Thank you for your time...
Enjoy the rest of EclipseCon!

eclipseCON™ 2009

I'm Twittering: `@jplmichael`

jplmichael
10 Followers

Giving some rather serious thought to using social networking tools within Mission Operations.
36 days ago

Spent the morning with someone from USGS. I am developing an interface for adding alarms to volcano and other sensor data.
62 days ago

Looking at different "custom build your widget" webpages. It seems easier to build a car (scion) then order a pizza (pizzahut)
64 days ago

Just saw a screening of "Triumph of the Dream," a very inspirational account of the Mars Rover missions.
67 days ago

twitter

Writable | Smart Insert | 132 : 27